

Publikationen und publizierte Abstracts 2017

- [1] Deniz, E.; Feldmann, C.; Schmidt, T.; Hoffmann, J.-D.; Hanke, J.; Rojas-Hernandez, S.; Dogan, G.; Berliner, D.; Bara, C.; Warnecke, G.; Haverich, A.; Schmitto, J.; Reiss, N.: The Impact of Telemonitoring in Patients with Ventricular Assist Device. In: *Thorac cardiovasc Surg*, (2017), S 01, DOI:10.1055/s-0037-1598927.
- [2] Feldmann, C.; Deniz, E.; Schmidt, T.; Hoffmann, J.-D.; Hanke, J.; Rojas, S.; Dogan, G.; Berliner, D.; Bara, C.; Warnecke, G.; Haverich, A.; Schmitto, J.; Reiss, N.: Telemonitoring in LVAD-Patients. Acceptance and Need. In: *J Heart Lung Transplant*, (2017), 4, 260–261, DOI:10.1016/j.healun.2017.01.698.
- [3] Heuten, W.; Hermens, H.; Hoffmann, J.-D.; Tabak, M.; Timmermann, J.; Willemsen, D.; Workowski, A.; Technau, J.: Coaching of Body Awareness Through an App-Guide: The Health Navigator. In: Nadin, M. (Hrsg.): *Anticipation and Medicine*, 191–203. Cham 2017.
- [4] Imnadze, G.; Kranig, W.; Thale, J.; Zerm, T.: Left atrial appendage ablation using cryoballoon. In: *Pacing Clin Electrophysiol*, (2017), 11, 1330, DOI:10.1111/pace.13191.
- [5] Kowalski, M.; Deutsch, C.; Hofmann, S.; Franz, N.; Billion, M.; Ferdosi, A.; Bramlage, P.; Imnadze, G.; Warnecke, H.: transcatheter aortic valve implantation at a high-volume center. The Bad Rothenfelde experience. In: *Kardiochir Torakochirurgia Pol*, (2017), 4, 215–224, DOI:10.5114/kitp.2017.72224.
- [6] Kowalski, M.; Ritter, F.; Billion, M.; Hofmann, S.; Franz, N.; Mönnig, G.: "All in" or "Rien ne va plus"? First simultaneous catheter-based trivalvular treatment combined with atrial septal closure in a human. In: *Kardiochir Torakochirurgia Pol*, (2017), 4, 268–270, DOI:10.5114/kitp.2017.72233.
- [7] Kranig, W.; Amberger, J.; Awad, K.; Wolff, E.; Vahlkamp, K.; Thale, J.; Küpper, B.: Implantation meets intervention. Reopening of a thrombotic ostial occlusion of coronary sinus by angioplasty achieved improvement of cardiac venous drainage and allowed transvenous CRT implantation. In: *Clin Res Cardiol*, (2017), 12, 1033–1039, DOI:10.1007/s00392-017-1141-y.
- [8] Langheim, E.; Reiss, N.; Cordes, C.; Knoglinger, E.; Glatz, J.; Willemsen, D.: Mechanische Herzunterstützungssysteme in der kardiologischen Rehabilitation. In: *Dtsch med Wochenschr*, (2017), 4, 282–289, DOI:10.1055/s-0042-103708.

- [9] Nickenig, G.; Kowalski, M.; Hausleiter, J.; Braun, D.; Schofer, J.; Yzeiraj, E.; Rudolph, V.; Friedrichs, K.; Maisano, F.; Taramasso, M.; Fam, N.; Bianchi, G.; Bedogni, F.; Denti, P.; Alfieri, O.; Latib, A.; Colombo, A.; Hammerstingl, C.; Schueler, R.: Transcatheter Treatment of Severe Tricuspid Regurgitation With the Edge-to-Edge MitraClip Technique. In: *Circulation*, (2017), 19, 1802–1814, DOI:10.1161/CIRCULATIONAHA.116.024848.
- [10] Reiss, N.; Hanke, J.; Deniz, E.; Dogan, G.; Schmidt, T.; Schmitto, J.: Clinical course, functional capacity and discontinuation of RVAD after planned and unplanned biventricular support system implantation. P12. In: *Int J Artif Organs*, (2017), 8, 433, DOI:10.5301/ijao.5000641.
- [11] Reiss, N.; Schmidt, T.; Feldmann, C.; Deniz, E.; Mommertz, S.; Haverich, A.; Willemsen, D.; Schmitto, J.: Different Indications for Inert Gas Rebreathing in the Management of LVAD Patients. In: *Thorac Cardiovasc Surg*, (2017), Suppl 1, DOI:10.1055/s-0037-1598844.
- [12] Reiss, N.; Schmidt, T.; Hoffmann, J.-D.; Willemsen, D.; Mueller von Aschwege, F.; Roebesaat, J.; Schmitto, J.; Feldmann, C.: New concepts for remote monitoring and flow control in left ventricular assist device patients - The Medolution project. P1848. In: *Eur J Heart Fail*, (2017), S1, 460.
- [13] Reiss, N.; Schmidt, T.; Mommertz, S.; Deniz, E.; Feldmann, C.; Schulte-Eistrup, S.; Willemsen, D.; Schmitto, J.: Inert Gas Rebreathing - A Helpful Tool in LVAD Patient Management. In: *J Heart Lung Transplant*, (2017), 4, 170–171, DOI:10.1016/j.healun.2017.01.448.
- [14] Reiss, N.; Schmidt, T.; Schulte-Eistrup, S.; Bara, C.; Hanke, J.; Schmitto, J.: Cardiac rehabilitation of left ventricular assist device patients requiring renal replacement therapy - a major challenge. P9. In: *Int J Artif Organs*, (2017), 8, 432, DOI:10.5301/ijao.5000641.
- [15] Reiss, N.; Schmidt, T.; Willemsen, D.; Warnecke H.; Schulte-Eistrup, S.: Blood pressure control in heart failure patients supported by a centrifugal left ventricular assist device. P4. In: *Int J Artif Organs*, (2017), 8, 430–431, DOI:10.5301/ijao.5000641.
- [16] Reiss, N.; Schmidt, T.; Muller-von Aschwege, F.; Thronicke, W.; Hoffmann, J.-D.; Robesaat, J.; Deniz, E.; Hein, A.; Krumm, H.; Stewing, F.-J.; Willemsen, D.; Schmitto, J.; Feldmann, C.: Telemonitoring and Medical Care of Heart Failure Patients Supported by Left Ventricular Assist Devices - The Medolution Project. In: *Stud Health Technol Inform*, (2017), 236, 267–274, DOI:10.3233/978-1-61499-759-7-267.
- [17] Robesaat, J.; Aschwege, F.; Reiss, N.; Schmidt, T.; Feldmann, C.; Deniz, E.; Schmitto, J.; Hein, A.: Analysis of LVAD log files for the early detection of pump thrombosis: 2017 IEEE Symposium on Computers and Communications (ISCC), 236–241. Heraklion 2017.
- [18] Schmidt, T.; Bjarnason-Wehrens, B.; Hannig, M.; Altesellmeier, M.; Schulte-Eistrup, S.; Willemsen, D.; Reiss, N.: Peak Oxygen Consumption and Six-Minute Walk Distance in Patients with an HVAD Left Ventricular Assist Device at Discharge from Cardiac Rehabilitation. In: *J Heart Lung Transplant*, (2017), 4, 343, DOI:10.1016/j.healun.2017.01.963.

- [19] Schmidt, T.; Reiss, N.; Hoffmann, J.-D.; Feldmann, C.; Deniz, E.; Roske, K.; Bach, R.; Schulte-Eistrup, S.; Willemsen, D.; Schmitto, J.: Post-Hospital Care in LVAD Patients - Experiences of Two Large German Heart Centers. In: *J Heart Lung Transplant*, (2017), 4, 436, DOI:10.1016/j.healun.2017.01.1248.
- [20] Schmidt, T.; Reiss, N.; Deniz, E.; Feldmann, C.; Hein, A.; Hoffmann, J.-D.; Robesaat, J.; Schmitto, J.; Willemsen, D.; Muller-von Aschwege, F.: Adaptive Pump Speed Algorithms to Improve Exercise Capacity in Patients Supported with a Left-Ventricular Assist Device. In: *Stud Health Technol Inform*, (2017), 236, 235–240, DOI:10.3233/978-1-61499-759-7-235.
- [21] Sindermann, J.; Welp, H.; Pott, C.; Mönning, G.: To the Editor- Rhythmologic challenges following heart transplantation. In: *HeartRhythm Case Rep*, (2017), 12, 608, DOI:10.1016/j.hrcr.2017.09.008.
- [22] Volmer, J.; Burkert, M.; Krumm, H.; Abodahab, A.; Dinklage, P.; Feltmann, M.; Kroger, C.; Panta, P.; Schafer, F.; Scheidt, D.; Sellung, M.; Singerhoff, H.; Steingreifer, C.; Schmidt, T.; Hoffmann, J.-D.; Willemsen, D.; Reiss, N.: Enhancing Long-Term Motivation of Cardiac Patients by Applying Exergaming in Rehabilitation Training. In: *Stud Health Technol Inform*, (2017), 237, 183–187, DOI:10.3233/978-1-61499-761-0-183.
- [23] Wegner, F.; Silvano, M.; Bögeholz, N.; Leitz, P.; Frommeyer, G.; Dechering, D.; Zellerhoff, S.; Kochhäuser, S.; Lange, P.; Köbe, J.; Wasmer, K.; Mönning, G.; Eckardt, L.; Pott, C.: Slow pathway modification in patients presenting with only two consecutive AV nodal echo beats. In: *J Cardiol*, (2017), 2, 471–475, DOI:10.1016/j.jjcc.2016.02.011.
- [24] Wegner, F.; Bögeholz, N.; Leitz, P.; Frommeyer, G.; Dechering, D.; Kochhäuser, S.; Lange, P.; Köbe, J.; Wasmer, K.; Mönning, G.; Eckardt, L.; Pott, C.: Occurrence of primarily noninducible atrioventricular nodal reentry tachycardia after radiofrequency delivery in the slow pathway region during empirical slow pathway modulation. In: *Clin Cardiol*, (2017), 11, 1112–1115, DOI:10.1002/clc.22797.