

Publikationen und publizierte Abstracts 2019

- [1] Adrian-Segarra, J.; Lörchner, H.; Braun, T.; Pöling, J.: Identification of Functional Protein Regions Through Chimeric Protein Construction. In: *J Vis Exp*, (2019), 143, DOI:10.3791/58786.
- [2] Akil, A.; Schulte-Eistrup, S.; Ziegeler, S.; Rehes, S.; Reichelt, J.; Semik, M.; Warnecke, H.; Fischer, S.: Thoraxchirurgisches Management des postoperativen Pleuraempyems bei Patienten mit Linksherzunterstützungssystem. In: *Zentralbl Chir*, (2019), S01, S71-S72, DOI:10.1055/s-0039-1694140.
- [3] Amberger, J.; Bettin, M.; Koopmann, M.; Kranig, W.; Pott, C.; Röthemeyer, S.; Mönnig, G.: Ablation von typischem Vorhofflattern bei Unterbrechung der Vena cava inferior. P705. In: *Clin Res Cardiol*, (2019), Suppl 1.
- [4] Awad, K.; Imnadze, G.; Ackemann, J.; Amberger, J.; Kranig, W.; Bettin, M.; Pott, C.; Warnecke, H.; Mönnig, G.: Touch-up-ablation of persistent atrial fibrillation after epicardial Mini-Maze-procedure - A highly efficient procedure. V1343. In: *Clin Res Cardiol*, (2019), Suppl 1.
- [5] Bettin, M.; Dechering, D.; Kochhäuser, S.; Bode, N.; Eckardt, L.; Frommeyer, G.; Reinke, F.: Extended ECG monitoring with an implantable loop recorder in patients with cryptogenic stroke. Time schedule, reasons for explantation and incidental findings (results from the TRACK-AF trial). In: *Clin Res Cardiol*, (2019), 3, 309–314, DOI:10.1007/s00392-018-1358-4.
- [6] Bettin, M.; Omran, A.; Althaus, M.; Amberger, J.; Awad, K.; Vahlkamp, K.; Kranig, W.; Mönnig, G.; Pott, C.: Complications in catheter ablation of atrial fibrillation with a focus on pericardial tamponade - a single center learning curve during 2009 consecutive ablation procedures. P1262. In: *Clin Res Cardiol*, (2019), Suppl 1.
- [7] Bettin, M.; Rath, B.; Ellermann, C.; Leitz, P.; Reinke, F.; Köbe, J.; Eckardt, L.; Frommeyer, G.: Follow-up of the first patients with a totally subcutaneous ICD in Germany from implantation till battery depletion. In: *Clin Res Cardiol*, (2019), 1, 16–21, DOI:10.1007/s00392-018-1296-1.
- [8] Bögeholz, N.; Pauls, P.; Bauer, B.; Schulte, J.; Frommeyer, G.; Dechering, D.; Boknik, P.; Kirchhefer, U.; Müller, F.; Pott, C.; Eckardt, L.: Overexpression of the Na⁺ /Ca²⁺ exchanger influences ouabain-mediated spontaneous Ca²⁺ activity but not positive inotropy. In: *Fundam Clin Pharmacol*, (2019), 1, 43–51, DOI:10.1111/fcp.12404.

- [9] Cordes, F.; Ellermann, C.; Dechering, D.; Frommeyer, G.; Kochhäuser, S.; Lange, P.; Pott, C.; Lenze, F.; Schmidt, H.; Ullerich, H.; Eckardt, L.: Time-to-isolation-guided cryoballoon ablation reduces oesophageal and mediastinal alterations detected by endoscopic ultrasound. Results of the MADE-PVI trial. In: *Europace*, (2019), 9, 1325–1333, DOI:10.1093/europace/euz142.
- [10] Enssle, A.; Elbracht, L.; Parspour, N.; Reiss, N.: Loss Shifted Design of Transcutaneous Energy Transfer Systems: 2019 IEEE PELS Workshop on Emerging Technologies: Wireless Power Transfer (WoW), 29–33 2019.
- [11] Glitza, J.; Mueller-von Aschwege, F.; Feldmann, C.; Wendl, R.; Schmitto, J.; Reiss, N.; Schmidt, T.; Hein, A.: Analysis of LVAD Log files considering the circadian rhythm for the early thrombosis detection. In: *Int J Artif Organs*, (2019), 8, S389.
- [12] Hildebrandt, A.; Willemsen, D.; Reiss, N.; Bartsch, P.; Schmidt, T.; Bjarnason-Wehrens, B.: Characteristics, Therapeutic Needs and Scopes of Patients with a Continuous-flow Left Ventricular Assist Device (LVAD) at Admission to CR – a Retrospective Analysis. In: *J Cardiopulm Rehabil Prev*, (2019), 2, 91–96, DOI:10.1097/HCR.0000000000000342.
- [13] Kranig, W.; Wolff, E.; Awad, K.; Amberger, J.; Vahlkamp, K.; Pott, C.; Bettin, M.; Koopmann, M.; Mönnig, G.: Mission impossible? Techniques of LV lead implantation in patients with atresia of the coronary sinus ostium. V1101. In: *Clin Res Cardiol*, (2019), Suppl 1.
- [14] Lüneburg, N.; Reiss, N.; Feldmann, C.; van der Meulen, P.; van de Steeg, M.; Schmidt, T.; Wendl, R.; Jansen, S.: Photographic LVAD Driveline Wound Infection Recognition Using Deep Learning. In: *Stud Health Technol Inform*, (2019), 192–199, DOI:10.3233/978-1-61499-971-3-192.
- [15] Lutermann, K.; Böckelmann, M.: Personalmarketing im Krankenhaus – Klasse statt Masse. In: Matusiewicz, D.; Stratmann, F.; Wimmer, J. (Hrsg.): Marketing im Gesundheitswesen, 221–233. Wiesbaden 2019.
- [16] Pecha, S.; Burger, H.; Möller, V.; Madej, T.; Osswald, B.; Maali, A.; Simone, R. de; Monsefi, N.; Ziaukas, V.; Erler, S.; Elfarrar, H.; Perthel, M.; Hemmer, W.; Ghaffari, N.; Sandhaus, T.; Busk, H.; Schmitto, J.; Bärsch, V.; Easo, J.; Treede, H.; Albert, M.; Nägele, H.; Zenker, D.; Hegazy, Y.; Ahmadi, D.; Ehrlich, W.; Knaut, M.; Reichensperner, H.; Butter, C.; Hakmi, S.: The German Laser Lead Extraction Registry. GALLERY. In: *Thorac cardiovasc Surg*, (2019), S 01, S1-S100, DOI:10.1055/s-0039-1678794.
- [17] Pöling, J.; Gajawada, P.; Lörchner, H.; Hou, Y.; Adrian-Segarra, M.; Günther, S.; Böttger, T.; Braun, T.; Warnecke, H.: Ly6Chigh/CCR6high Monocytes Are Required for Collateral Artery Growth. In: *Thorac cardiovasc Surg*, (2019), S 01, DOI:10.1055/s-0039-1678870.
- [18] Reiss, N.; Schmidt, T.; Hoffmann, J.-D.; Glitza, J.; Thronicke, W.; Wendl, R.; Feldmann, C.; Schmitto, J.; Mueller-von Aschwege, F.: Telemedical concepts and developments for an effective outpatient management in LVAD patients. V1805. In: *Clin Res Cardiol*, (2019), Suppl 1.

- [19] Reiss, N.; Schmidt, T.; Schulte-Eistrup, S.; Sindermann, J.; Mommertz, S.; Bjarnason-Wehrens, B.; Predel, H.-G.: Long-term follow-up of exercise hemodynamics and metabolisms in left ventricular assist device patients. V692. In: *Clin Res Cardiol*, (2019), Suppl 1.
- [20] Reiss, N.; Schmidt, T.; Sindermann, J.: Rehabilitation von Patienten mit einem Linksherzunterstützungssystem. In: Deutsche Herzstiftung (Hrsg.): *Leben mit einem Kunsterz. Ein Ratgeber für Betroffene, Angehörige und Interessierte*, S.40–47 2019.
- [21] Reiss, N.; Wegner, K.; Hoffmann, J.-D.; Schulte Eistrup, S.; Boeken, U.; Morshuis, M.; Schmidt, T.: Requirements for a Telemedicine Center to Monitor LVAD Patients. In: *Stud Health Technol Inform*, (2019), 146–153, DOI:10.3233/978-1-61499-971-3-146.
- [22] Schmidt, T.; Bjarnason-Wehrens, B.; Mommertz, S.; Schulte-Eistrup, S.; Willemsen, D.; Sindermann, J.; Predel, H.-G.; Reiss, N.: Development of exercise-related values in heart failure patients supported with a left ventricular assist device. In: *Int J Artif Organs*, (2019), 4, 201-206, DOI:10.1177/0391398818815492.
- [23] Schmidt, T.; Predel, H.-G.; Hadzic, M.; Eichler, S.; Völler, H.; Bjarnason-Wehrens, B.; Sindermann, J.; Mönnig, G.; Franz, N.; Kowalski, M.; Salzwedel, A.; Reiss, N.: Cardiac rehabilitation in patients after percutaneous mitral valve reconstruction using the MitraClip-device - first experiences in Germany. (P303). In: *Eur J Prev Cardiol*, (2019), Suppl.1, 48.
- [24] Schmidt, T.; Predel, H.-G.; Schulte Eistrup, S.; Sindermann, J.; Mommertz, S.; Bjarnason-Wehrens, B.; Reiss, N.: Exercise hemodynamics, metabolisms and related values over time in heart failure patients after implantation of a left ventricular assist device. (P678). In: *Eur J Prev Cardiol*, (2019), Suppl.1, 144–145.
- [25] Schulte-Eistrup, S.; Mayer-Wingert, N.; Reiss, N.; Sindermann, J.; Warnecke, H.: Apixaban in HVAD Patients Non-Compliant to Standard Vitamin-K-Antagonism. In: *J Heart Lung Transplant*, (2019), 4, S68, DOI:10.1016/j.healun.2019.01.155.
- [26] Schulte-Eistrup, S.; Reiss, N.; Sindermann, J.; Schmidt, T.; Warnecke, H.; Ritter, F.; Franz, N.; Kowalski, M.: Tricuspid Clipping during LVAD Support. First in Human Report. In: *J Heart Lung Transplant*, (2019), 4, S351, DOI:10.1016/j.healun.2019.01.891.
- [27] Willy, K.; Bettin, M.; Reinke, F.; Bögeholz, N.; Ellermann, C.; Rath, B.; Leitz, P.; Köbe, J.; Eckardt, L.; Frommeyer, G.: Feasibility of entirely subcutaneous ICD™ systems in patients with coronary artery disease. In: *Clin Res Cardiol*, (2019), 11, 1234–1239, DOI:10.1007/s00392-019-01455-5.